

MORE POWER - LESS SPACE™



unigy II

Tomorrow's energy systems...today



**2000 AH
DESIGN**

**EXCLUSIVE
IPF®
TECHNOLOGY**

**INDIVIDUAL
STEEL CANS
FOR EACH
CELL**

**NEBS
ZONE 4
CERTIFIED
PASSED IBC
300% 2003**

**MICROCAT™
VENT**




QUALITY SYSTEM
CERTIFIED TO
ISO 9001
ISO/TS 16949
ISO 14001

Made in U.S.A.

AVR125 - 33									
AMPERES @ 77° (25°C)									
Volts Per Cell (V.P.C.)	Discharged Times – Hours								
	3 Hr.	4 Hr.	5 Hr.	6 Hr.	8 Hr.	10 Hr.	12 Hr.	20 Hr.	24 Hr.
1.75	517	414	352	309	250	210	182	118	101
1.80	502	408	348	306	248	208	180	117	100
1.85	472	390	336	297	241	203	176	114	97.7
WATTS PER CELL @ 77° (25°C)									
Volts Per Cell (V.P.C.)	Discharged Times – Minutes								
	15 Min.	20 Min.	30 Min.	40 Min.	60 Min.				
1.67	3434	3138	2769	2606	2122				
1.75	3144	2956	2640	2381	1996				
Float Voltage: 2.25 +/- .01 volts per cell ⁶									

No. Cells/Module	No. Plates/Cell	Part Numbers ¹	Module Volts	Amp Hour C/8 @ 1.75 vpc	Dimensions			
					Length ² (mm)	Depth ³ (mm)	Height ⁴ (mm)	Weight ⁵ (kgs.)
3	33	AVR125-33	6	2000	40.59" (1031)	31.12" (727)	11.70" (297)	1107 lbs. (503)
2	33	AVR125-33	4	2000	27.32" (694)	31.12" (727)	11.70" (297)	753 lbs. (342)

- ¹ Flame retardant polypropylene jar and cover standard.
- ² For system length, take dimension and multiply by number of stacks. For side termination, add an additional 8" (4" per side).
- ³ Includes front shield.
- ⁴ For module stack height, multiply the module height times the number of modules and then add 4". For top termination, add 8".
- ⁵ Weight includes module plus cells, but not cell hardware or base.
- ⁶ Please refer to the I&O Manual, systems operation, float voltages for proper charger setting.



"POWERED FOR PERFORMANCE"®

DISTRIBUTED BY:

EAST PENN manufacturing co., inc.

Lyon Station, PA 19536-0147 • Phone: 610-682-6361 • Fax: 610-682-4781

Order Department Hotline: 610-682-3263

www.eastpennunigy.com • e-mail: sales@eastpennunigy.com

E.P.M. Form No. 0561 10/11 © 2011 by EPM Printed in U.S.A.

All data subject to change without notice. No part of this document may be copied or reproduced, electronically or mechanically, without written permission from the company.